



EVENT & INDUSTRIAL
SPACE SOLUTIONS

vmc

Event Tents

Sales and Rental



SOUTH EAST EUROPE
OFFICIAL REPRESENTATIVE
OF LOSBERGER

The right solution for every occasion



- Quality**
100% German quality,
statics calculation incl.
- Economic**
Lease, rent or buy
- Multipurpose**
Catering, sports, fairs, VIP events
- Modular**
Remove or add one or several modules
- Availability**
Fast delivery



Losberger is one of the world’s leading manufacturers of **high quality tents and space solutions**. Our name stands for uncompromising product quality, as well as competence and high commitment to fulfilling customers` needs.

At Losberger you will find the right tent for every occasion. We produce creative and functional **spaces for receptions, catering, VIP lounges, sporting events and exhibitions**. Individually tailored to suit your needs and requirements.

Losberger tents, thanks to their high quality modular construction system, offer an exceptional variety of sizes, shapes and configuration options. From 3 to 60 metres clear span. Single or two-storey. Through this modular method of construction, all your wishes and requirements requirements can be solved, not only quickly, but also economically.

Simply name us your challenge, your vision, your task or your issue – who knows what we might be able to offer you in terms of a solution?

Space solutions for every field of application




At VMC you will find the right space solution for every occasion. We produce creative and functional spaces for hotels & catering, sports events, trade fairs, exhibitions, private and public celebrations. Individually tailored to suit your needs and the specific requirements of the event.

Catering and weddings

Are you short of space capacities? You are planning an annex, temporary or permanent? You are looking for the special ambience for unforgettable events? The mobile space concepts and tent solutions from VMC fulfill all your catering requirements. We create spaces for receptions, gala evenings, weddings, catering and hospitality.

Sports

Olympic Games, FIFA World Cup, World Canoeing Championship, motor sport, world skiing or light athletic championships... Losberger tent constructions are nowadays to be found at nearly all renowned sports events. Permanent space concepts for clubs, such as, for example, for basketball, golf, tennis, football and ice hockey are also to be found in Losberger's range of products.



Corporate and VIP events

You need more sales space, but do not want a permanent extension? You are looking for a separate room for special campaigns? Then you have found a fantastic and flexible solution with Losberger tents. Selling in a tent conveys the character of a fast campaign to your customers and it is furthermore a great eye-catcher!

Trade fairs

Losberger tent halls with annexes designed to meet requirements have been developed precisely for the requirements at trade fairs and exhibitions: Representative in appearance and perfect in function. From the 200 square metre company presentation in the trade fair grounds to the 20,000 square metre large consumer fair out in the countryside. With VMC you have an experienced partner at your side. You profit from attractive products, tailor-made solutions and a professional partner service.

Garden Cottage


Beautiful and beautifully economical



The classically attractive **Losberger Garden Cottage** membrane roof pagoda combines beauty, economic viability and functionality in a perfect manner.

The most varied uses can be planned under its elegant and stable membrane roof – whether alone or in an ensemble. And the combination of robust material quality and favourable price guarantees an investment that is also worthwhile in the long term.

Technical data	Garden Cottage
Profile	63 x 63 mm
Type surface	3 x 3, 4 x 4, 5 x 5
Side height	2,20 and 2,50
Peak height	3,94 - 5,55



3 x 3 / 220 (250) 4 x 4 / 220 (250) 5 x 5 / 220 (250)



Pagoda P8


Beautiful, practical and individual



With its characteristic appearance and first-class material and finish quality, the Losberger Pagoda makes a positive impression everywhere. Alone or in an ensemble, it offers an attractive tent architecture for many possible uses. Ideal for use at events, in catering and in trade.

The simple, well thought-out assembly technique in conjunction with the patented dual keder technology ensures even faster assembly and dismantling and the perfect, secure fit of the roof cover.

Technical data	Pagoda P8
Profile	100 x 48 mm
Type Surface	3 x 3, 4 x 4, 5x5, 6 x 6
Side height	2,30 and 2,50
Peak height	3,70 - 5,40



multiflex P9

Economical in every use




You save time and thus even cash with the problem-free transport, erection and dismantling, storage or care of our basic element for multiplex P9 small tents.

What is more: Even after years you can combine and extend the element – and still buy all system parts later. Guaranteed.

With a side height of 2.3 metres and the proven truss distance of 3 metres, spans of up to 10 metres are possible in the P9 modular system. The ideal frame for individual space design.

Technical data	multiflex P9
Profile:	84 x 48 mm
Span width:	4, 6, 8, 10 m
Side height	2.3 m
Truss distance:	3 m
Roof slope:	20 degree
Wind load:	79 km/h
Tensioning system:	expander / spindle-fix



multiflex P7


Its greatness is its span

With the modular construction system for our small tent element multiflex P7, with side heights of 2.3 or 2.5 metres and the proven truss distance of 3 metres, spans of up to 15 metres are possible. Because the P7's greatness is definitely its span.

In its development, special attention was paid to ensure that with a side height of 2.3 metres all the multiflex units of the P9 series can also be added. But not only that makes the P7 particularly flexible and readily combinable: With 2.5 metres side height cassette wall elements made of glass or plastic are also available.


In addition, the spindle-fix tensioning system used with the Plus version avoids having the valances turned up by the wind and offers improved protection from rain driving in the eaves area.

Technical data	multiflex P7
Profile:	120 x 48 mm
Span width:	6, 9, 12, 15 m
Side height:	2.3 and 2.5 m
Truss distance:	3 m
Roof slope:	20 degree
Wind load:	79 km/h
Tensioning system:	expander / spindle-fix



Multiflex profile tube flooring

Tailor-made, durable, economical and beautiful



Technical data multiflex flooring

Dimension: L x W = 2.948 x 1.009 m


Technical details



easyflex P5N

The especially good value marquee

Technical data	easyflex P5N
Profile:	150 x 120 mm
Span width:	10, 12, 15 m
Side height:	2.8 and 3.4 m
Truss distance:	5 m
Roof slope:	18 degree
Wind load:	103 km/h
Tensioning system:	spindle-fix



With spans of 10 – 15 metres, the Losberger easyflex offers an especially attractive option to all those customers for whom the price takes first place in the decision for a marquee.

Despite particularly great cost efficiency, the well-known high Losberger standards were maintained for the material and construction. Consistent optimisation, simplification of the frame technology and dispensing, just this once, with the modular construction ability have led to clear savings allowing a particularly economical tent of high quality to be created.

Model variants for flexibility and variety

Compared with the normal easyflex, the easyflex plus marquee offers further possibilities of fitting out: the Losberger system cassette flooring and the Losberger system cassette walls made of plastic or glass.

Discover the different easyflex models and variants and find the right solution for your needs. Or begin to design your space straight away with our Space Planner Tool.



uniflex P3N


Versatile, creative and economical



The Losberger uniflex Basic units, available from 08 – 30 m, are the ideal entry level product for large tent systems. The continuous modularity of this system makes it possible for you to turn one into two, and two into more, as only a few additional components are needed in order to produce a uniflex modular tent system in a wide variety of widths and designs. Everything in this system can be combined and interchanged while the fully developed technology of this particular modular system limits the number of necessary frame sections to an absolute minimum, thus guaranteeing efficient storage along with fast and easy assembly. Our cutting-edge developments always take the existing system components into account; another great advantage, meaning that your existing stock remains compatible and easily integrated into the latest designs. It goes without saying that all of the tent components are available for years to come.

Creativity is limitless with the uniflex system. A host of accessories, such as glass or hard-PVC systems elements (at side height of 3.40 and 4.00 m), system cassette flooring, aluminium doors, ramps, decoration and more, are available to transform the Losberger uniflex system into stylish individual space solutions for any application.

Technical data	uniflex P3N
Profile:	200 x 120 mm
Span width:	8, 10, 11, 12, 15, 16, 20, 21, 25 m
Side height:	2.8, 3.4, 4.0 m
Truss distance:	5 m
Roof slope:	18 degree
Wind load:	103 km/h
Tensioning system:	spindle-fix



uniflex P2N

Unique solutions for special demands



The Losberger uniflex large tent system convinces not only with its certain style: Its outstanding features in use are its particular versatility and high durability. Thus it offers you the highest creativity in space design combined with long-term profitability. A combination which pays off for you.


The uniflex basic units with spans from 15 to 30 metres offer the basis for entry into a large tent system assuring a particularly good future with an overwhelming selection of shapes and sizes.

The general modularity of uniflex, with just a few additional components, offers a great diversity of spans and design variants possible. Everything in the system is combinable and interchangeable with each other.

uniflex model variants

Discover the different models and variants of the uniflex system and find the right solution for your needs. Or begin to design your space straight away with our Space Planner Tool.

Technical data uniflex P2N	
Profile:	250 x 120 mm
Span width:	15, 20, 25, 30 m
Side height:	2.8, 3.4, 4.0 m
Truss distance:	5 m
Roof slope:	18 degree
Wind load:	103 km/h
Tensioning system:	spindle-fix



maxiflex P1

Impressive in size and flexibility



With spans from 15 to 50 metres it is the most variable among the large tent systems: Losberger maxiflex is a modular tent construction system with virtually unlimited possibilities.


Ideal for tent operators who often erect tents with spans of over 30 metres, but also rent out smaller ones of under 30 metres.

In addition, this system offers an attractive choice of floor plans and shapes in the most varied sizes. No question that the maxiflex modular construction system includes all options for future tent developments and offers certainty for later purchases for many years.

Model variants for flexibility and variety

Discover the different models and variants of maxiflex and find the right solution for your needs. Or begin to design your space straight away with our Space Planner Tool.

Technical data maxiflex P1	
Profile:	300 x 120 mm
Span width:	15, 20, 25, 30, 40, 50 m
Side height:	3.4, 4.0, 5.4 m
Truss distance:	5 m
Roof slope:	18 degree
Wind load:	103 km/h
Tensioning system:	spindle-fix



maxiflex P10

Setting trends in modular expanse




Technical data	maxiflex P10
Profile:	420 x 120 mm
Span width:	40, 50, 60 m
Side height:	4.0, 5.4, 6.8, 7.4, 8.0 m
Truss distance:	5 m
Roof slope:	18 degree
Wind load:	103 km/h
Tensioning system:	spindle-fix



Over the last quarter of a century, modular temporary structures have traditionally been designed with maximum widths of up to 50 meters restricted eave height. Thanks to the new Losberger P10, self-supporting structure, 60m clear span widths with optimal ceiling heights, open up a multitude of opportunities for the events and exhibitions industry. The P10 boasts the full advantages and features of the Losberger P1 and P3N systems, but with the added benefit of building structures of up to 60 meters wide in any length, with lateral heights of up to 6,80 meters. What's more the 50 m wide P10 can reach impressive heights of up to 8 meters!

These notable expanses are only possible with the new extremely robust profile cross-section, the structures main componenets measure a solid 420 x 120 mm. Trade fair halls with large volume requirements can now be effortlessly achieved, huge warehouses for trade fair goods with essential height requirements are made simple. Even temporary mobile event solutions the size of football pitches are accomlishe with ease. The maxiflex P10 offers an innovative and flexible large space solution, setting new trends for the delivery and execution of trade fairs and large scale events — as always, in premium quality.



System Cassette Flooring for Large Tents



Flooring system

The well-engineered Losberger flooring system has been developed to meet the high demands required by today's tent flooring. The excellent congruence of the individual elements and the relatively small amount of necessary components not only make the Losberger cassette flooring system quick and easy to install, but also create a good visual impression.

Integrated cable channels with variable cable exits allow cables and supply lines to be laid accurately and thus routed cleanly and invisibly to the required extraction points. Our cassette flooring can be used for the large tent systems easyflex plus, uniflex and maxiflex. It has a load bearing capacity of up to 350 kg/m² and up to 500 kg/m² with appropriate underpinning.

Technical data	flooring for large tents
Dimension:	L x W = 2.431 x 1.000 m



Setting specific visual accents

System cassette wall elements made of hard-PVC

For solid walls, especially in conjunction with a floor, Losberger hard PVC panels are an ideal solution. These are installed instead of the standard PVC side curtains.



Glass elements

Our high quality horizontal and vertical glass elements ensure a more detailed view. They provide you with natural daylight and the insights and views that you want to have. Furthermore, they increase the aesthetic appearance of the tent building.



Textile side curtains

Our textile side curtains are made from robust PVC, insensitive to dirt and available with windows in several attractive designs.



Fittings and annexes

Entrance and exit doors as accessory elements to evaluate the appearance of a tent, and define clearly the entrance to the tent or event and exhibition hall. All Losberger door elements are lockable and equipped with the appropriate emergency and safety bolts.


Access ramps can be purchased as a complementary add-on, in order to ensure accessibility.









Transport racks

All **tent accessories** can be securely transported and optimally stored with Losberger's stackable transport and storage racks - even on minimal space.

The racks are available in various sizes and configurations, and are precisely tailored to the products. **Wall and floor cassettes, windows and glass elements, doors and roof covers**, etc. can be safely protected and stored efficiently.



Shapes

				
uniflex Basis	uniflex Arcum	Revoflex Emporium	P7 Basis	Tridom
				
Rondo 10	maxiflex Arcum	Revoflex	maxiflex Arcum Apsis	Pavillon
				
Gaube korr	P7 P9 basis	maxiflex emporium basis	Dreiecksfeld Arcum	maxiflex Basis
				
Dreiecksfeld Korr	Domizil 12	maxiflex Arcum emporium	Domfeld Kleinzelte	maxiflex Arcum Apsis Emporium
				
Arcum Pavillon	maxiflex Apsis	Apsis Arcum neu	Forum	Apsis 5
				
easyflex Arcum	Domizil P7	Domizil 12er	Domizil 6er	Domfeld neu
				
Domfeld 10m	Arcum	Arcum Kleinzelte	Arcum Apsis an Zelt	Apsis
				
Anbau uniflex Basis	Anbau uniflex Arcum Basis	Adapter	Cyclone	Dualkeder
				
Anbau uniflex Basis	Palas			

Cyclone

A new sense of space feeling




Cyclone. The name stands for a new mobile tent unit from the Losberger Company. With its forward-looking design and highest material quality, it ensures fresh wind in live communication and events.

The Losberger Cyclone has been provided with a flat roof that slopes down to one corner. This architecturally demanding building shape, its straight lines, its large areas of glass and its basic cubic shape are the Cyclone's striking distinguishing features, giving a quite new kind of space feeling inside as well as outside.

Decide on the Losberger Cyclone and give elegance and originality to your event.

Model variants for flexibility and variety

Combine your individual basic Cyclone Mono element with other elements and have individual tent landscapes created in accordance with your ideas. Or begin to design your space straight away with our Space Planner Tool.



Technical data	Cyclone
Base area (mono)	5m x 5m
Span width:	5 m
Leg spacing	4.92 m
External ridge height (with flooring)	2,80 m
Legs	100 x 100 m
Eave purlins:	108 x 124 mm
Longest profile (eave purlins)	5.02 m



Kubo

Cubical, glasses, green



The Losberger Kubo is a new architectural space solution created for use at events and trade fairs. Due to its rectangular shape, ceiling height and large outside design surfaces the Kubo ensures highest visibility and top image value. High-quality materials provide better energy efficiency and also show the sustainable development in the Losberger product range.

The new front-mounted facade system offers not only the possibility of printed facade banners, it enables also the integration of mobile LED screens. Future-oriented technology, premium quality and flexible solutions - with Kubo, Losberger offers an innovative tent solution and, consequently, a new, functional and creative space concept.

Technical data	Kubo
Profile:	300 x 120 mm
Span width:	10, 15, 20 m
Side height:	4.0 m
Truss distance:	5 m
Roof slope:	7 degree
Wind load:	103 km/h
Tensioning system:	spindle-fix

Palas

A new dimension



Technical data	Palas
Profile:	300 x 120 mm
Span width:	10, 15, 20, 25, 30 m
Side height:	8.0 m
Truss distance:	5 m
Roof slope:	7 degree
Wind load:	103 km/h
Tensioning system:	spindle-fix

This is the most recent and most innovative product from the Losberger large tent series. With nearly cubic tent architecture, 8 metres side height and the possibility of using horizontally and vertically laid wall elements, this large tent allows a new dimension of space design in its class.

The basic tent shape of the Losberger Palas is a gable roof with a slight roof slope of just 7 degrees and a surrounding roof parapet. It can be used as a large volume event and presentation hall, while at the same time a variant as an Emporium with two levels can also be implemented.

Emporium

Attractive space solutions on two floors










Not to be compared with conventional two-storey tents: The Losberger maxiflex Emporium can be freely erected as a second level in every large tent. If required, it serves in a two-storey type of tent construction as a complete upper storey, as a balcony or as a stand-alone gallery. And the maxiflex Emporium also cuts a good figure as an observation platform at major events.

Many floor plan shapes are possible with this Losberger large tent. In addition, many system parts from the maxiflex modular construction system can be used – also the large tent system cassette floor and the system elements made of plastic and glass. Simply ask us about the possibilities.

Technical data	Emporium
Profile:	300 x 120 mm
Span width:	10, 15, 20, 25, 30 m
Side height:	6.8, 8.0 m
Truss distance:	5 m
Field area	5 x 5 m
Wind load:	103 km/h
Tensioning system:	spindle-fix

Product data sheet

multiflex P9 84 x 48 mm			
Pagoda P8 100 mm x 48 mm			
multiflex P7 120 x 48 mm			
easyflex (plus) P5N 150 x 120 mm			
uniflex P3N 200 x 120 mm			
uniflex P2N 150 x 120 mm			
maxiflex P1 200 x 120 mm			

							Rafter Sections	
Type	Profile	Frame ID	Truss Profile	Width (m)	Leg	Truss-distance	Standard	Optional
multiflex 	P9		84 mm x 48 mm	4	230/265/300 cm	3 m	2.0 m	-
				6	230/265/300 cm		3.0 m	-
				8	230/265/300 cm		4.0 m	-
				10	230/265/300 cm		5.0 m	-
Pagoda 	P8		100 mm x 48 mm	3 x 3	230/250 cm	3 m	3.0 m	-
				4 x 4	230/250 cm		4.0 m	-
				5 x 5	230/250 cm		5.0 m	-
				6 x 6	230 cm		6.0 m	-
multiflex 	P7		120 mm x 48 mm	6	230/250 cm	3 m	3.0 m	-
				9	230/250 cm		4.5 m	-
				12	230/250 cm		6.0 m	3.0 m + 3.0 m
				15	230/250 cm		7.5 m	4.5 m + 3.0 m
easyflex (plus) 	P5N	2	150 mm x 120 mm	10	280/340 cm	5 m	5.0 m	-
				12	280/340 cm		6.0 m	-
				15	280 cm		7.5 m	-
uniflex 	P3N	3	200 mm x 120 mm	8	280/340/400/540 cm	5 m	4.0 m	-
				10	280/340/400/540 cm		5.0 m	-
				11	280/340/400 cm		5.5 m	-
				12	280/340/400 cm		6.0 m	-
				15	280/340/400 cm		7.5 m	5.0 m + 2.5 m
				16	280/340/400 cm		8.0 m	5.5 m + 2.5 m
				20	280/340/400 cm		10.0 m	7.5 m + 2.5 m
				21	280/340/400 cm		10.5 m	8.0 m + 2.5 m
				25	280/340/400 cm		7.5 m + 5.0 m	10.0 m + 2.5 m
uniflex 	P2N	4	250 mm x 120 mm	15	280/340/400 cm	5 m	7.5 m	-
				20	280/340/400 cm		10.0 m	-
				25	280/340/400 cm		7.5 m + 5.0 m	10.0 m + 2.5 m
				30	280/340/400 cm		10.0 m + 5.0 m	7.5 m + 7.5 m
maxiflex 	P1	5	300 mm x 120 mm	15	340/400/540 cm	5 m	7.5 m	5.0 m + 2.5 m
				20	340/400/540 cm		10.0 m	7.5 m + 2.5 m
				25	340/400/540 cm		7.5 m + 5.0 m	10.0 m + 2.5 m
				30	340/400/540 cm		10.0 m + 5.0 m	7.5 m + 7.5 m
				35	340/400/540 cm		10.0 m + 7.5 m	-
				40	340/400/540 cm		10.0 m + 10.0 m	-
				50	340/400 cm		10.0 m + 10.0 m + 5.0 m	-

Space solutions for every

Catering



Fashion



field of application

Sports



Festivals



Corporate events



Trade fairs




Golf



Promotions



How we do it




Why VMC?

Throughout these years, we have gathered so much experience with anything involving the use of tents and containers that we may well be able to make a most surprising suggestion specific to your task. If you should prefer, this can be a complete and turnkey solution.

Surprisingly inexpensive.
Surprisingly attractive.
Surprisingly clever.

- ✓ Solution for every budget
- ✓ Wide range of products
- ✓ Load-bearing structures in steel and aluminium
- ✓ Verifiable static calculation according to Eurocode (EC0, EC1, EC3)
- ✓ Short delivery time
- ✓ Rent, purchase or lease
- ✓ 350.000 m² of stock in rental
- ✓ Knowledge of local specifics
- ✓ Competent advice in planning and engineering
- ✓ Top quality solutions without compromise



We Construct Concepts

Services

Behind each project stands a **competent and experienced team**, which possesses individual know-how within the respective area of application.

- On-site consultation
- Emergency service, also at the weekend
- Spatial planning
- Construction permits
- Pre-construction drawings
- Fittings planning
- Planning and organisation of foundations work
- Maintenance work for industrial halls and tents
- Turnkey Solutions

Quality & Safety

Quality and safety are closely linked. They ensure that you can depend upon us in terms of **technology, execution, the guaranteed properties**, the consultation and finally in terms of the **optimum solution** for you and your task.


In order to fulfil these claims, our employees and service partners are always right **up to date in terms of qualifications** in their specialist field. As verification, we hold a series of certifications, but also statements made by satisfied customers.

During the production of our tents and halls, we observe the **stringent German regulations** without fuss or quibble, and thus guarantee a high level of safety worldwide.

We love challenges

Whatever we do, we do with a **clear overview** and a great deal of **creativity**, so that your project succeeds reliably and in good time. This is because we simply love a challenge.

Due to the diverse temporary space solutions provided by the Losberger Group, **a quick solution is always possible**. We check the on-site conditions and find the best, most reliable solution for construction of your Losberger tent or hall. It doesn't have to be a rustic one. Depending on your request, we possess **a series of fittings and accessories** which allow you to forget that you are in a "transitional solution".



Special Requests

Today, temporary constructions provide solutions which no-one would have thought feasible a few years before. We manage to **turn outdoor training facilities into indoor ones**. Using our tent hall constructions, we can roof over ice hockey pitches and make entire football grounds available for training, independent of the weather conditions, even in winter. Aeroplane hangars, team accommodation, hospitals, production and storage halls and much more are increasingly being built as temporary constructions.


The Environment

The obligation to act in a manner which is **gentle on the environment and on resources** is increasingly becoming an essential component of any economic activities. Our temporary, **completely recyclable constructions**, which can be used for multiple applications, provide unbeatable advantages. Depending on the construction solution, dismantling our temporary spatial solutions means that the used site simply **reverts to its previous condition**. Complex demolishing work and recultivation measures are generally not required.

Turnkey Solutions


When the need arises, in urgent situations or tight schedules, we supply you on time with an **allround no-worry turnkey package**. These solutions are **taylor-made** according to your wishes and specifications, in cooperation with our competent partners. We thus deliver to you **complete buildings** that fully comply with your expectations in terms of functionality and architecture – buildings to be excited about!

Evolution of Shapes



Rent or Buy?


The values in percentages represent the importance of arguments.



A – SHAPES



ARCUM SHAPE



CUBE SHAPES



EVENT & INDUSTRIAL
SPACE SOLUTIONS



Event tents
Industrial halls
Room modules
Sports facilities
Rapid deployment

VMC 21 d.o.o.
Kopraska ulica 106 b
1000 Ljubljana, Slovenia
T +386 1 292 77 60
info@vmc21.com



info@vmc21.com



www.vmc21.com



Vmc21doo



vmc-21-d-o-o-



Sales representative